

AMS Boneless Beef Supplier Indicator Organism Performance - Fiscal Year 2012^{1,2/}

Supplier	# Lots Produced (% of Total)	Standard Plate Count ^{3/}		Total Coliforms ^{4/}		Generic <i>E. coli</i> ^{5/}	
		# Exceeding Critical Limit	% Exceeding Critical Limit	# Exceeding Critical Limit	% Exceeding Critical Limit	# Exceeding Critical Limit	% Exceeding Critical Limit
S1	10,996 (17.6)	4	0.04	1	0.01	0	0
S2	874 (1.4)	0	0	0	0	0	0
S3	3,009 (4.8)	0	0	0	0	0	0
S4	15,074 (24.1)	10	0.07	1	0.01	0	0
S5	8,815 (14.1)	5	0.06	4	0.05	0	0
S6	50 (0.1)	0	0	0	0	0	0
S7	3,473 (5.6)	19	0.55	11	0.32	10	0.29
S8	1,155 (1.8)	8	0.69	7	0.61	5	0.43
S9	51 (0.1)	0	0	0	0	0	0
S10	1,328 (2.1)	0	0	0	0	0	0
S11	235 (0.4)	0	0	2	0.85	0	0
S12	180 (0.3)	0	0	0	0	0	0
S13	1,940 (3.1)	0	0	1	0.05	0	0
S14	633 (1.0)	0	0	0	0	0	0
S15	2,501 (4.0)	2	0.08	2	0.08	0	0
S16	---	---	---	---	---	---	---
S17	---	---	---	---	---	---	---
S18	6,229 (10.0)	1	0.02	6	0.10	3	0.05
S19	---	---	---	---	---	---	---
S20	902 (1.4)	3	0.33	3	0.33	1	0.11
S21	3,580 (5.7)	3	0.08	0	0	0	0
S22	---	---	---	---	---	---	---
S23	1,452 (2.3)	0	0	0	0	0	0
Total	62,477 (100.0)	55	0.09	38	0.06	19	0.03

^{1/}A full description of the boneless beef purchase program specification is available at <http://www.ams.usda.gov/AMSV1.0/getfile?dDocName=STELPRDC5098459>

^{2/}Production Dates: October 1, 2011 to September 30, 2012.

^{3/}Standard Plate Count Critical Limit: 100,000 CFU/g.

^{4/}Total Coliforms Critical Limit: 1,000 CFU/g.

^{5/}Generic *E. coli* Critical Limit: 500 CFU/g.

