

AMS Frozen Pasteurized Whole Eggs Microbial Performance - Fiscal Year-to-Date: March 2015^{1,2/}

<u>Contractor</u>	<u># Lots Produced (% of Total)</u>	<u>Standard Plate Count^{3/}</u>		<u>Total Coliforms^{4/}</u>		<u>Salmonella^{5/}</u>	
		<u># Exceeding Critical Limit</u>	<u>% Exceeding Critical Limit</u>	<u># Exceeding Critical Limit</u>	<u>% Exceeding Critical Limit</u>	<u># Positive</u>	<u>% Positive</u>
C1	4 (6.7)	0	0	0	0	0	0
C2	7 (11.6)	1	14.29	0	0	0	0
C3	8 (13.3)	0	0	0	0	0	0
C4	31 (51.7)	6	19.35	0	0	0	0
C5	10 (16.7)	0	0	0	0	0	0
Total	60 (100.0)	7	11.67	0	0	0	0

^{1/}A full description of the frozen pasteurized whole eggs purchase program specification is available at <http://www.ams.usda.gov/AMSV1.0/getfile?dDocName=STELPRDC5103659>

^{2/}Production Dates: October 1, 2014 to March 31, 2015.

^{3/}Standard Plate Count Critical Limit: 1,000 CFU/g.

^{4/}Total Coliforms Critical Limit: 10 CFU/g.

^{5/}Salmonella Critical Limit: Positive (+) Result / 25g.

