

AMS Boneless Beef Supplier Indicator Organism Performance - Fiscal Year-to-Date: March 2015^{1,2/}

Supplier	# Lots Produced (% of Total)	Standard Plate Count ^{3/}		Total Coliforms ^{4/}		Generic <i>E. coli</i> ^{5/}	
		# Exceeding Critical Limit	% Exceeding Critical Limit	# Exceeding Critical Limit	% Exceeding Critical Limit	# Exceeding Critical Limit	% Exceeding Critical Limit
S1	5,594 (17.0)	0	0	1	0.02	1	0.02
S2	1,084 (3.3)	1	0.09	0	0	0	0
S4	5,003 (15.2)	0	0	3	0.06	1	0.02
S5	7,353 (22.4)	0	0	0	0	0	0
S6	360 (1.1)	0	0	0	0	0	0
S9	287 (0.9)	0	0	1	0.35	1	0.35
S10	697 (2.1)	0	0	0	0	0	0
S11	2,474 (7.5)	0	0	2	0.08	2	0.08
S14	2,854 (8.7)	0	0	1	0.04	0	0
S21	3,304 (10.1)	0	0	1	0.03	2	0.06
S24	3,545 (10.8)	1	0.03	5	0.14	4	0.11
S29	287 (0.9)	0	0	0	0	0	0
Total	32,842 (100.0)	2	0.01	14	0.04	11	0.03

^{1/}A full description of the boneless beef purchase program specification is available at <http://www.ams.usda.gov/AMSV1.0/getfile?dDocName=STELPRDC5098459>

^{2/}Production Dates: October 1, 2014 to March 31, 2015.

^{3/}Standard Plate Count Critical Limit: 100,000 CFU/g.

^{4/}Total Coliforms Critical Limit: 1,000 CFU/g.

^{5/}Generic *E. coli* Critical Limit: 500 CFU/g.

