

AMS Unpasteurized Liquid Whole Eggs for Further Processing Contractor Indicator Organism Performance - Fiscal Year-to-Date: March 2015^{1/2/}

<u>Contractor</u>	<u># Lots Produced (% of Total)</u>	<u>Standard Plate Count^{3/}</u>		<u>Total Coliforms^{4/}</u>		<u>Generic <i>E. coli</i>^{5/}</u>	
		<u># Exceeding Critical Limit</u>	<u>% Exceeding Critical Limit</u>	<u># Exceeding Critical Limit</u>	<u>% Exceeding Critical Limit</u>	<u># Exceeding Critical Limit</u>	<u>% Exceeding Critical Limit</u>
C1	20 (7.5)	2	10.00	0	0	0	0
C2	109 (41.0)	3	2.75	0	0	1	0.92
C4	130 (48.9)	3	2.31	0	0	0	0
C6	7 (2.6)	0	0	0	0	0	0
Total	266 (100.0)	8	3.01	0	0	1	0.38

^{1/}A full description of the unpasteurized liquid whole eggs for further processing purchase program specification is available at <http://www.ams.usda.gov/AMSV1.0/getfile?dDocName=STELPRDC5103659>

^{2/}Production Dates: October 1, 2014 to March 31, 2015.

^{3/}Standard Plate Count Critical Limit: 100,000 CFU/g.

^{4/}Total Coliforms Critical Limit: 5,000 CFU/g.

^{5/}Generic *E. coli* Critical Limit: 1,000 CFU/g.

